

29102

# Table & Floor Scraper, 10.2", Green



**update**<sup>LTD</sup>  
www.updateltd.com  
1-800-229-0009



Remove stubborn food debris from floors and other surfaces with this Table and Floor Scraper. Features a stainless-steel blade and can be used with any Vikan handle.

# Technical Data

Item Number	29102
Blade Thickness	0.04 "
Material	Polypropylene Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA Regulation I CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs.
Quantity Per Layer (Pallet)	80 Pcs.
Box Length	12.6 "
Box Width	10.6 "
Box Height	5.1 "
Length	1.3 "
Width	10.2 "
Height	6.1 "
Net Weight	0.5732 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))	0.02 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.06 lbs
Tare Total	0.08 lbs
Gross Weight	0.6484 lbs
Cubic Feet	0.0456 ft <sup>3</sup>
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (food contact)	338 °F
Max usage temperature (non food contact)	338 °F
Min. usage temperature	-4 °F
Max. drying temperature	248 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705020291029

<b>GTIN-14 Number (Box quantity)</b>	15705020291026
<b>Customs Tariff No.</b>	82159910
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.