Revision Date: 4/1/2015

EMERGENCY PHONE NUMBERS.....

2. Hazards Identification

GHS CLASSIFICATION: According to regulation Appendix D 1910.1200

	-g · · · · g · · · · · · · · · · · · · ·	-
Health	Environmental	Physical
Acute Toxicity: Category 5	Acute Toxicity: No	Flammability: No
Skin irritation: Category 3	Chronic Toxicity: No	
Skin Sensitization: No		
Eye: Category 2B		

GHS Label:





Signal Word: Warning, irritant

Creation Date: 5/30/08

Hazard Statements:

H303: May be harmful if swallowed H316: May cause mild skin irritation

H320: Causes eye irritation

Precautionary Statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling

P270: Do not eat drink or smoke when using this product

P314: Get medical advice/attention if you feel unwell

P313: If skin irritation occurs get medical attention/advice.

P337: If eye irritation occurs rinse with water/seek medical attention if needed.

3. Composition of Ingredients

Chemical	CAS No.	Wt %	Exposure Limits
Co-polymer of vinyl		70-90	NSRL
acetate + ethylene in water			
Hazardous ingredients	CAS#	Content%	Classification

SAFETY DATA SHEET

5-Chloro-methyl-4- isothiazoline-3-on and 2-methyl-4- isothiazoline-3- on(mixture in a ratio of 3:1)	55965-84-9	<0.01	Aquatic Chronic 1: H410 Aquatic Acute 1: H400 Skin Sens. 1: H317 Skin Corr. 1B: H314 Acute Toxicity: 3 by inhalation: H331 Acute Toxicity: 3 by dermal: H311 Acute Toxicity: 3 by oral: H301 Eye Damage: 1: H318

Information on Ingredients:

This material does not contain any hazardous substances at or above OSHA and WHMIS reportable levels.

Substances listed as HAPS and California prop 65 carcinogens or reproductive toxins in section 15 are contained below 0.1% and are inextricably bound in the product.			
Recommended HMIS III Rating: 110A			
4. 1	First Aid Measures		
Water for at least 15 Minutes, Lifting Upper and I * NOTE: Mild Irritant on Eyes. Skin Contact			
5. Fig.	re Fighting Measures		
Flash Point			
•	lental Release Measures		
Spill or Leak Procedures	Spills should be Taken up with Suitable Absorbent		

SAFETY DATA SHEET

~	DATA SHEET
	th Water; Collect Wash Water for Approved Disposal. Do
ot Flush to Storm Sewer or Waterway.	
Vater Disposal Methods	
xisting Federal, State and Local Environmental Regula	ations
7. Handli	ng and Storage
Eating, Drinking or Smoking Around Open Containers.	with Atmospheric Air, Avoid Breathing Vapors, Avoid
8. Exposure Contr	ols / Personal Protection
Conditions under Which PPE Required	Normal Work Conditions
ye Protection Requirements	
love Requirements	
lothing Requirements	
hange/Removal of Clothing	Not Required
Vash Requirements	Not Required
Wash RequirementsRespirator Requirements	Not RequiredNot Required, under normal use
Wash Requirements	Not RequiredNot Required, under normal useGood, general ventilation
Wash Requirements Respirator Requirements Engineering Controls HMIS III PPE Rating	Not RequiredNot Required, under normal useGood, general ventilationA
Change/Removal of Clothing	
Wash Requirements Respirator Requirements Engineering Controls HMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe	
Wash Requirements Respirator Requirements Engineering Controls HMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines DSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Exposurance/Physical Description	
Vash Requirements Lespirator Requirements Lespirator Requirements Lespirator Requirements Lespirator Requirements Lespirator Requirements Lespirator Requirements Limits III PPE Rating Lesposure Guidelines DSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Lespirator Leposure Physical Description Leposure Limits (PEL) establishe 9. Physical and Leposure Limits (PEL) establishe	
Vash Requirements Lespirator Requirements Longineering Controls LIMIS III PPE Rating Loxposure Guidelines DSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Loxposure Control Odor Odor H as is	
Vash Requirements Lespirator Limits (PEL) establishe 9. Physical and Lespirator Lesp	
Vash Requirements Respirator Requirements Resposure Guidelines Resposure Limits (PEL) establishe Respirator Requirements Respirator Respira	
Vash Requirements Respirator Requirements Respirator Requirements Respirator Requirements Respirator Requirements Respirator Requirements Respirator Requirements Response Controls Response Guidelines Response Limits (PEL) establishe Response Limits (PEL) establishe Response Response Limits (PEL) establishe Response Response Limits (PEL) establishe Response Resp	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Appearance/Physical Description Odor Odor Threshold PH as is Boiling Point Treezing Point Clash Point Clash Point Cyaporation Rate	
Vash Requirements Respirator Requirements Respirator Requirements Respirator Requirements Respirator Requirements Respirator Requirements Respirator Requirements Response Controls Response Guidelines Response Limits (PEL) establishe Response Supplies Supp	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Exposure Color Odor Threshold H as is Engling Point Freezing Point Evaporation Rate Elammability Exposure Limits (PEL) establishe 9. Physical and Exposure Color Exposure Limits (PEL) establishe 9. Physical and Exposure Color Exposure Limits (PEL) establishe 9. Physical and Exposure Color Exposure	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Exposure Color Odor Threshold H as is Coiling Point Freezing Point Evaporation Rate Elammability Exposure Limits (PEL) establishe 9. Physical and Exposure Color Exp	
Vash Requirements Respirator Requirements 9. Physical and Respectation Respectati	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Exposure Color Threshold PH as is Boiling Point Freezing Point Clash Point Cvaporation Rate Clammability Cyapor Pressure (mmHg) Cyapor Density (Air = 1) Bulk Density	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Appearance/Physical Description Odor Threshold PH as is Boiling Point Treezing Point Tash Point Evaporation Rate Clammability Jupper/Lower Flammability or explosive Limits Vapor Pressure (mmHg) Vapor Density (Air = 1) Bulk Density Ppecific Gravity (Water =1)	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Appearance/Physical Description Odor Threshold PH as is Boiling Point Treezing Point Tash Point Evaporation Rate Clammability Jupper/Lower Flammability or explosive Limits Vapor Pressure (mmHg) Vapor Density (Air = 1) Bulk Density Decific Gravity (Water =1) Bolubility in Water	
Vash Requirements Respirator Requirements Engineering Controls IMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Appearance/Physical Description Odor Odor Threshold PH as is Boiling Point Freezing Point Flash Point Evaporation Rate Flammability Jupper/Lower Flammability or explosive Limits Vapor Pressure (mmHg) Vapor Density (Air = 1) Bulk Density Epecific Gravity (Water =1) Folubility in Water Partition coefficient: n-octanol/water	
Wash Requirements Respirator Requirements Engineering Controls HMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Appearance/Physical Description Odor Odor Threshold PH as is Boiling Point Freezing Point Evaporation Rate Elammability Jpper/Lower Flammability or explosive Limits Vapor Pressure (mmHg) Vapor Density (Air = 1) Bulk Density Specific Gravity (Water =1) Bolubility in Water Partition coefficient: n-octanol/water Auto-ignition	Not Required Not Required, under normal use Good, general ventilation There are no Occupational Safety and Health d for this product. Chemical Properties White, colored or UV fluorescing liquid Slight Acetic Not applicable 4.0-6.0 of water of water Not applicable Not applicable Not applicable Not applicable Same as water > 1 (Air=1) 8.9 lb/gal 1.07 dispersible Not applicable
Wash Requirements Respirator Requirements Engineering Controls HMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Appearance/Physical Description Odor Threshold PH as is Boiling Point Freezing Point Evaporation Rate Flammability Jpper/Lower Flammability or explosive Limits Vapor Pressure (mmHg) Vapor Density (Air = 1) Bulk Density Specific Gravity (Water =1) Solubility in Water Partition coefficient: n-octanol/water Auto-ignition Decomposition Temperature	Not Required Not Required, under normal use Good, general ventilation There are no Occupational Safety and Health d for this product. Chemical Properties White, colored or UV fluorescing liquid Slight Acetic Not applicable 4.0-6.0 of water of water Not applicable Not applicable Not applicable Same as water > 1 (Air=1) 8.9 lb/gal 1.07 dispersible Not applicable
Wash Requirements Respirator Requirements Engineering Controls HMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe 9. Physical and Appearance/Physical Description Odor Threshold PH as is Boiling Point Freezing Point Flash Point Evaporation Rate Flammability Upper/Lower Flammability or explosive Limits Vapor Pressure (mmHg) Vapor Density (Air = 1) Bulk Density Specific Gravity (Water =1) Solubility in Water Partition coefficient: n-octanol/water Auto-ignition Decomposition Temperature	Not Required Not Required, under normal use Good, general ventilation
Wash Requirements Respirator Requirements Engineering Controls HMIS III PPE Rating Exposure Guidelines OSHA) Permissable Exposure Limits (PEL) establishe	Not Required Not Required, under normal use Good, general ventilation A There are no Occupational Safety and Health d for this product. Chemical Properties White, colored or UV fluorescing liquid Slight Acetic Not applicable 4.0-6.0 of water of water Not applicable Not applicable Not applicable Not applicable Same as water > 1 (Air=1) 8.9 lb/gal 1.07 dispersible Not applicable

SAFETY DATA SHEET

10. Stability and Reactivity

·	Stable at normal temperatures and storage conditions
Incompatibilities	
NFPA Reactivity Hazard Class	
Hazardous Polymerization	
nazaruous i olymenzauon	Will Not Occur
11. To	oxicological Information
Acute Eye Toxicity	
Acute Skin Toxicity	
Acute Inhalation Toxicity	
	LD50 > 2000 mg/kg, test subject; rat based on
primary polymer component. Single oral exposur	
chemical listed by the International Agency for F	Research on Cancer (IARC), The National Toxicology Program tional Safety and Health Administration (OSHA) as a carcinogen.
	Ecological Information
EcotoxicityEnvironmental Fate	No information is available
	Disposal Considerations
	Transport Information
UN Number	
DOT Shipping Name	
DOT Hazard Class	
DOT Reportable Quantity	Not Noted
15. F	Regulatory Information
U.S. Federal Regulations;	
OSHA	

	S	SAFETY DATA	SHEET
TSCA			ALL Components are on the TSCA Inventory.
CERCLA			This material does not contain any CERCLA
regulated materials.			
			This material does not contain any SARA extremely
hazardous substances.			
SARA 311/312			311/312 Hazard Class This material does not present
any SARA 3311/312 haza	rds.		
SARA Title III: Section 3			
This product may contain the	e following substances	at or above de mir	imus concentrations: NONE
Chemical	CAS No.	Wt %	Exposure Limits
HAPS/VOCs: Vinyl Acetate CAS# 108-05- Formaldehyde CAS# 50-00-0 Methanol CAS# 67-56-1 Acetaldehyde CAS# 75-07-0 U.S. State Regulations:)		
California Proposition 65			
Massachusetts Substance L	.ist		This material contains no listed components.
New Jersey Right-to-Know	hazardous Substance	list	this material contains no listed components.
Pennsylvania Right-to-Kno	w hazardous Substan	ce list	this material contains no listed components.
Canadian Regulations:			
WHMIS Hazard classes			none
DSL Status			This material or its components are listed on the Canadian
Non-DSL Components			This material does not contain any non-DSL chemicals.
Canadian Ingredient Disclo	osure list		This material does not contain listed components.

"OUR SERVICE ENGINEERS ARE AVAILABLE TO HELP PURCHASERS OBTAIN BEST RESULTS FROM OUR PRODUCT, AND RECOMMENDATIONS ARE BASED ON TEST AND INFORMATION BELIEVED TO BE RELIABLE. HOWEVER, WE HAVE NO CONTROL UNDER WHICH OUR PRODUCTS ARE TRANSPORTED TO, STORED, HANDLED, OR USED BY PURCHASERS AND, IN ANY EVENT, ALL RECOMMENDATIONS AND SALES ARE MADE ON CONDITION THAT WE WILL NOT BE HELD LIABLE FOR ANY DAMAGES RESULTING FROM THEIR USE. NO REPRESENTATIVE OF OUR HAS ANY AUTHORITY TO WAIVE OR CHANGE THIS PROVISION."

16. Other information